## Distribution boxes with earth leakage switches and circuit breakers



## NXT M-23/23/00-T/H4 groepenkast

EAN: 8712259534435 Width 220 mm Height 390 mm Number of groups (blue) 3 Number of groups (grey) 3 Number of earth fault switches 2P 2 Phases 3-phase wired Groups 6 Bell transformer 1 Main switch 40 A Rated current 3 x 32 A Quantity and type of FI/LS switch Mounting method Surface mounted (plaster) Degree of protection (IP) IP20 Width in number of modular spacings 24 Depth 110 mm Extension possible Yes Housing material Plastic Number of phases 3 Lockable Yes Over voltage protection No Number of earth leakage switches 300 mA With transparent cover No Protection Miniature- / earth leakage circuit breaker Total number of groups Number of groups 6 Number of groups behind earth leakage Switch Number of groups behind earth leakage switchers Number of earth leakage circuit breakers Number of groups behind earth leakage Switch Number of arc fault detection devices AFDD
Height 390 mm  Number of groups (blue) 3  Number of groups (grey) 3  Number of earth fault switches 2P 2  Phases 3-phase wired  Groups 6  Bell transformer 1  Main switch 40 A  Rated current 3 x 32 A  Quantity and type of FI/LS switch  Mounting method Surface mounted (plaster)  Degree of protection (IP) IP20  Width in number of modular spacings 24  Depth 110 mm  Extension possible Yes  Housing material Plastic  Number of phases 3  Lockable Yes  Over voltage protection No  Number of earth leakage switches 30 mA  With transparent cover No  Protection Miniature- / earth leakage circuit breaker  Number of groups 6  Number of groups behind earth leakage switch  Number of groups behind earth leakage  switch  Number of earth leakage circuit breakers
Number of groups (blue)  Number of groups (grey)  Number of earth fault switches 2P  Phases  3-phase wired  Groups  6  Bell transformer  1  Main switch  A 0 A  Rated current  3 x 32 A  Quantity and type of FI/LS switch  Mounting method  Degree of protection (IP)  Width in number of modular spacings  Pepth  110 mm  Extension possible  Yes  Housing material  Number of phases  3  Lockable  Over voltage protection  Number of earth leakage switches 30 mA  With transparent cover  Protection  Total number of groups  Number of gioups  Number of gioups  Number of gioups  Number of groups  Number of groups  Number of groups behind earth leakage switch  Number of earth leakage circuit breakers
Number of groups (grey)  Number of earth fault switches 2P  Phases  Groups  Bell transformer  Main switch  Rated current  Quantity and type of FI/LS switch  Mounting method  Degree of protection (IP)  Width in number of modular spacings  Depth  Extension possible  Housing material  Number of phases  Lockable  Over voltage protection  Number of earth leakage switches 300 mA  With transparent cover  Number of groups  Number of direct groups  Number of groups behind earth leakage switch  Number of groups behind earth leakage switch  Number of earth leakage circuit breakers
Number of earth fault switches 2P Phases Groups 6 Bell transformer 1 Main switch Aated current Quantity and type of FI/LS switch Mounting method Degree of protection (IP) Width in number of modular spacings Depth 110 mm Extension possible Yes Housing material Number of phases Jokable Ver voltage protection No Number of earth leakage switches 300 mA With transparent cover No Protection Miniature-/ earth leakage circuit breakers Number of groups behind earth leakage switch Number of groups behind earth leakage switch Number of earth leakage circuit breakers
Phases 3-phase wired Groups 6 Bell transformer 1 Main switch 40 A Rated current 3 x 32 A Quantity and type of FI/LS switch Mounting method Surface mounted (plaster) Degree of protection (IP) IP20 Width in number of modular spacings 24 Depth 110 mm Extension possible Yes Housing material Plastic Number of phases 3 Lockable Yes Over voltage protection No Number of earth leakage switches 30 mA 2 Number of earth leakage switches 30 mA 2 With transparent cover No Protection Miniature- / earth leakage circuit breaker Total number of groups Number of light groups Number of groups behind earth leakage switch Number of earth leakage circuit breakers
Groups 6 Bell transformer 1 Main switch 40 A Rated current 3 x 32 A Quantity and type of FI/LS switch Mounting method Surface mounted (plaster) Degree of protection (IP) IP20 Width in number of modular spacings 24 Depth 110 mm Extension possible Yes Housing material Plastic Number of phases 3 Lockable Yes Over voltage protection No Number of earth leakage switches 30 mA 2 Number of earth leakage switches 300 mA With transparent cover No Protection Miniature- / earth leakage circuit breaker Total number of groups Number of light groups Number of groups behind earth leakage switch Number of earth leakage circuit breakers
Bell transformer  Main switch  Rated current  Quantity and type of FI/LS switch  Mounting method  Degree of protection (IP)  Width in number of modular spacings  Depth  Extension possible  Housing material  Number of phases  Lockable  Over voltage protection  Number of earth leakage switches 30 mA  With transparent cover  Protection  No  Number of groups  Number of light groups  Number of earth leakage circuit breakers  Number of earth leakage circuit breakers  6  Number of earth leakage circuit breakers
Main switch Rated current Quantity and type of FI/LS switch Mounting method Degree of protection (IP) Width in number of modular spacings Depth 110 mm Extension possible Housing material Number of phases Lockable Over voltage protection Number of earth leakage switches 30 mA With transparent cover Protection Miniature- / earth leakage circuit breaker Number of groups Number of groups Number of light groups Number of groups behind earth leakage switch Number of earth leakage circuit breakers
Rated current Quantity and type of FI/LS switch  Mounting method Degree of protection (IP) Width in number of modular spacings Depth 110 mm Extension possible Housing material Number of phases Juckable Ves Over voltage protection No Number of earth leakage switches 30 mA With transparent cover Protection Miniature- / earth leakage circuit breaker  Number of groups Number of light groups Number of groups behind earth leakage Switch Number of earth leakage circuit breakers
Quantity and type of FI/LS switch  Mounting method  Degree of protection (IP)  Width in number of modular spacings  Depth  Extension possible  Housing material  Number of phases  Lockable  Over voltage protection  Number of earth leakage switches 30 mA  With transparent cover  Protection  Mo  Number of direct groups  Number of light groups  Number of groups behind earth leakage  switch  Number of earth leakage circuit breakers
Mounting method  Degree of protection (IP)  Width in number of modular spacings  Depth  Extension possible  Housing material  Number of phases  Lockable  Over voltage protection  Number of earth leakage switches 30 mA  With transparent cover  Protection  No  Number of groups  Number of light groups  Number of garth leakage circuit breakers  Number of earth leakage circuit breakers  Mumber of groups behind earth leakage  Surface mounted (plaster)  IP20  IP30  IP30
Degree of protection (IP)  Width in number of modular spacings  24  Depth  110 mm  Extension possible  Yes  Housing material  Number of phases  3  Lockable  Ves  Over voltage protection  Number of earth leakage switches 30 mA  Number of earth leakage switches 300 mA  With transparent cover  No  Protection  Miniature- / earth leakage circuit breaker  Total number of groups  Number of light groups  Number of groups behind earth leakage  Switch  Number of earth leakage circuit breakers
Width in number of modular spacings  Depth  110 mm  Extension possible  Housing material  Number of phases  Lockable  Over voltage protection  Number of earth leakage switches 30 mA  Number of earth leakage switches 300 mA  With transparent cover  Protection  Miniature- / earth leakage circuit breaker  Total number of groups  Number of light groups  Number of groups behind earth leakage  Switch  Number of earth leakage circuit breakers
Depth 110 mm  Extension possible Yes  Housing material Plastic  Number of phases 3  Lockable Yes  Over voltage protection No  Number of earth leakage switches 30 mA 2  Number of earth leakage switches 300 mA  With transparent cover No  Protection Miniature- / earth leakage circuit breaker  Total number of groups  Number of direct groups  Number of light groups 6  Number of groups behind earth leakage switch  Number of earth leakage circuit breakers
Extension possible  Housing material  Number of phases  Lockable  Over voltage protection  Number of earth leakage switches 30 mA  Number of earth leakage switches 300 mA  With transparent cover  Protection  Protection  Miniature- / earth leakage circuit breaker  Total number of groups  Number of light groups  Number of groups behind earth leakage  switch  Number of earth leakage circuit breakers
Housing material  Number of phases  Lockable  Over voltage protection  Number of earth leakage switches 30 mA  Number of earth leakage switches 300 mA  With transparent cover  Protection  No  Protection  Miniature- / earth leakage circuit breaker  Total number of groups  Number of direct groups  Number of light groups  Number of groups behind earth leakage switch  Number of earth leakage circuit breakers
Number of phases  Lockable  Over voltage protection  Number of earth leakage switches 30 mA  Number of earth leakage switches 300 mA  With transparent cover  Protection  No  Protection  Miniature- / earth leakage circuit breaker  Total number of groups  Number of direct groups  Number of light groups  Number of groups behind earth leakage switch  Number of earth leakage circuit breakers
Lockable Over voltage protection No Number of earth leakage switches 30 mA Number of earth leakage switches 300 mA With transparent cover Protection Miniature- / earth leakage circuit breaker Total number of groups Number of direct groups Number of light groups Number of groups behind earth leakage switch Number of earth leakage circuit breakers
Over voltage protection  No  Number of earth leakage switches 30 mA  Number of earth leakage switches 300 mA  With transparent cover  No  Protection  Miniature- / earth leakage circuit breaker  Total number of groups  Number of direct groups  Number of light groups  Number of groups behind earth leakage switch  Number of earth leakage circuit breakers
Number of earth leakage switches 30 mA  Number of earth leakage switches 300 mA  With transparent cover  Protection  Miniature- / earth leakage circuit breaker  Total number of groups  Number of direct groups  Number of light groups  Number of groups behind earth leakage switch  Number of earth leakage circuit breakers
Number of earth leakage switches 300 mA  With transparent cover No  Protection Miniature- / earth leakage circuit breaker  Total number of groups 6  Number of direct groups  Number of light groups 6  Number of groups behind earth leakage switch  Number of earth leakage circuit breakers
With transparent cover  Protection  Miniature- / earth leakage circuit breaker  Total number of groups  Number of direct groups  Number of light groups  Number of groups behind earth leakage switch  Number of earth leakage circuit breakers
Protection Miniature- / earth leakage circuit breaker  Total number of groups 6  Number of direct groups  Number of light groups 6  Number of groups behind earth leakage switch  Number of earth leakage circuit breakers
Total number of groups 6  Number of direct groups  Number of light groups 6  Number of groups behind earth leakage switch  Number of earth leakage circuit breakers
Number of direct groups  Number of light groups 6  Number of groups behind earth leakage switch  Number of earth leakage circuit breakers
Number of light groups 6  Number of groups behind earth leakage switch  Number of earth leakage circuit breakers
Number of groups behind earth leakage 6 switch  Number of earth leakage circuit breakers
switch  Number of earth leakage circuit breakers
-
Number of arc fault detection devices AFDD
Protection main switch No
Number of poles main switch 4
Main switch rated current 40 A
Protection incoming RCD No
Protection high integrity No
Protection split load No
Protection dual RCD No
Number of outgoing ways 18
Suitable for data No
Cooker group None
Cooker group suitable as power current group No
With socket outlet No



With bell transformer	Yes
Type of over voltage protection device	-
With meter	No
Built-in depth	55 mm

The new generation of Click-mate NXT distribution boxes is available in various editions: The compact S distribution cabinet with 12 modules, the familiar M distribution cabinet with space for 2 x 12 modules and the innovative L distribution cabinet with 2 x 18 modules; the solution for the energy transition and extensive 3-phase installations. The distribution boxes are also completely modular and can easily be installed next to or underneath each other. The distribution boxes in the extensive range are equipped with earth leakage circuit breakers (2P, 40A, 30mA) and circuit breakers (1P+N, 16A, B-characteristic) and are optionally available with a stove group and/or bell transformer.

